25

30

A wetting composition comprising:

at least 1 weight percent of an activating compound, said activating compound being a monovalent salt; and wherein the wetting composition contains less than about 10 wt% of organic solvents.

- 2. The wetting composition of Claim 1, wherein the wetting composition contains less than about 4 wt% of organic solvents.
- 3. The wetting composition of Claim 2, wherein the wetting composition contains less than about 1 wt% of organic solvents.
- 4. The wetting composition of Claim 3, wherein the wetting composition is substantially free of organic/solvents.
- 5. The wetting composition of Claim 1, wherein the activating compound is present at a concentration of from about 1 weight percent to about 10 weight percent based on the weight of the wetting composition.
- 6. The wetting composition of Claim 5, wherein the activating compound is present at a concentration of from about 1 weight percent to about 5 weight percent based on the weight of the wetting composition.
- 7. The wetting composition of Claim 6, wherein the activating compound is present at a concentration of about 4 weight percent.
- 8. The wetting composition of Claim 1, wherein the activating compound is sodium chloride.

Unn Une coll il	10	
: ≈= ≈= ≈=		
1	15	

9. The wetting composition of Claim 1/further comprising one or
more additives selected from skin-care additives; odor control agents;
detackifying agents; particulates; antimicrobial agents; preservatives; wetting
agents and cleaning agents such as detergents, surfactants, and silicones;
emollients; surface feel modifiers; fragrance; fragrance solubilizers; opacifiers;
fluorescent whitening agents; UV absorbers; pharmaceuticals; and pH control
agents.

10. The wetting composition of Claim 1, wherein the wetting composition comprises:

about 86 to about 98 weight percent deionized water;

about 1 to about 6 weight percent sodium chloride as the activating compound;

up to about 2 weight percent of one or more preservatives; up to about 2 weight percent of one or more surfactants; up to about 1 weight percent of one or more silicone emulsions; up to about 1 weight percent of one or more emollients; up to about 0.3 weight percent of one or more fragrances; up to about 0.5 weight percent of one or more fragrance

up to about 0.5 weight percent of one or more fragrance solubilizers; and

up to about 0.5 weight percent of one or more pH adjusters.

11. The wetting composition of Claim 10, wherein the wetting composition comprises:

about 86 to about 98 weight percent of deionized water;

about 1 to about 6 weight percent of sodium chloride as the activating compound;

from greater than 0 to about 2 weight percent of one or more preservatives comprising glycerin, iodopropynyl butylcarbamate (IPBC), and dimethyloldimethyl (DMDM) hydantoin;

25

20

comprising acyl glutamate;

from greater than 0 to about 2 weight percent of a surfactant

from greater than 0 to about 1 weight percent of one or more

	silicone emulsions comprising dimethiconol and triethanolamine (TEA)
5	dodecylbenezene sulfonate;
	from greater than 0 to about 1 weight percent of an emollient
	comprising PEG-75 Lanolin;
ra ==	from greater than 0 to about 0.3 weight percent of one or more
	fragrances;
	from greater than 0 to about 0.5 weight percent of a fragrance
<b>G</b> 1	solubilizer comprising polysorbate 20; and
nj Nj	from greater than 0 to about 0.2 weight percent of a pH
w test are test to test	adjuster comprising malic acid.
}≜ n:	
្សី 15	12. The wetting composition of Claim 11, wherein the
	wetting composition comprises:
	about 92.88 weight percent of deionized water;
	about 4.00 weight percent of sodium chloride as the activating
	compound;
20	about 1.00 weight percent of one or more preservatives
	comprising glycerin, IPBC, and DMDM hydantoin;
	about 1.00 weight percent of a surfactant comprising acyl
	glutamate;
	about 0.50 weight percent of one or more silicone emulsions
25	comprising dimethiconol and TEA dodecylbenezene sulfonate;
	about 0.25 weight percent of an emollient comprising PEG-75
	Lanolin;
	about 0.05 weight percent of one or more fragrances;
	about 0.25 weight percent of a fragrance solubilizer comprising
30	/ polysorbate 20: and

acid.

13.

5

C)

Ļ۵

] ] ] 15

NJ.

*J* ()

A wetting composition comprises:

about 86 to about 98 weight percent deionized water;
about 1 to about 6 weight percent sodium chloride;
up to about 2 weight percent of one or more preservatives;
up to about 2 weight percent of one or more surfactants;
up to about 1 weight percent of one or more silicone emulsions;
up to about 1 weight percent of one or more emollients;
up to about 0.3 weight percent of one or more fragrances;
up to about 0.5 weight percent of one or more fragrance
solubilizers; and

up to about 0.5 weight percent of one or more pH adjusters.

14. The wetting composition of Claim 13, wherein the wetting composition comprises:

about 86 to about 98 weight percent of deionized water; about 1 to about 6 weight percent of sodium chloride as the

activating compound;

from greater than 0 to about 2 weight percent of one or more preservatives comprising glycerin, iodopropynyl butylcarbamate (IPBC), and dimethyloldimethyl (DMDM) hydantoin;

from greater than 0 to about 2 weight percent of a surfactant comprising acyl glutamate;

from greater than 0 to about 1 weight percent of one or more silicone emulsions comprising dimethiconol and triethanolamine (TEA) dodecylbenezene sulfopate;

from greater than 0 to about 1 weight percent of an emollient comprising PEG-75 Lanolin;

25

20

from greater than 0 to about 0.3 weight percent of one or more

from greater than 0 to about 0.5 weight percent of a fragrance

up to about 2 weight percent of one or more preservatives;

<u>|</u>-1.00 mm 1.00 m fragrances;

5

20

25

up to about 2 weight percent of one or more surfactants; up to about 1 weight percent of one or more silicone emulsions; up to about 1 weight percent of one or more emollients; up to about 0.3 weight percent of one or more fragrances; up to about 0.5 weight percent of one or more fragrance solubilizers; and

up to about 0.5 weight/percent of one or more pH adjusters.

17. The wetting composition of Claim 16, wherein the wetting composition consists essentially of:

about 86 to about 98 weight percent of deionized water,

about 1 to about 6 weight percent of sodium chloride as the activating compound;

from greater than 0 to about 2 weight percent of one or more preservatives comprising glycerin, iodopropynyl butyloarbamate (IPBC), and dimethyloldimethyl (DMDM) hydantoin;

from greater than 0 to about 2 weight percent of a surfactant comprising acyl glutamate;

from greater than 0 to about 1 weight percent of one or more silicone emulsions comprising dimethiconol and triethanolamine (TEA) dodecylbenezene sulfonate;

from greater than 0 to about 1 weight percent of an emollient comprising PEG-75 Lanolin;

from greater than 0 to about 0.3 weight percent of one or more fragrances;

from greater than 0 to about 0.5 weight percent of a fragrance solubilizer comprising polysorbate 20; and

from greater than 0 to about 0.2 weight percent of a pH adjuster comprising malic acid.

18. The wetting composition of Claim 17, wherein the wetting composition consists essentially of:

about 92.88 weight percent of deionized water;

about 4.00 weight percent of sodium chloride as the activating compound;

about 1.00 weight percent of one or more preservatives comprising glycerin, IPBC, and DMDM hydantoin;

about 1.00 weight percent of a surfactant comprising acyl glutamate;

about 0.50 weight percent of one or more silicone emulsions comprising dimethiconol and TEA dodecylbenezene sulfonate;

about 0.25 weight percent of an emollient comprising PEG-75

Lanolin;

about 0.05 weight percent of one or more fragrances;

about 0.25 weight percent of a fragrance solubilizer comprising polysorbate 20; and

acid.

about 0.07 weight percent of a pH adjuster comprising malic

A method of making a wetting composition comprising:

mixing one or more monovalent salts with one or more additives selected from one or more from skin-care additives; odor control agents; detackifying agents; particulates; antimicrobial agents; preservatives; wetting agents and cleaning agents such as detergents, surfactants, and silicones; emollients; surface feel modifiers; fragrance; fragrance solubilizers; opacifiers; fluorescent whitening agents; UV absorbers; pharmaceuticals; and pH control agents; and wherein the wetting composition contains less than about 4 wt% of organic solvents.

20

11.28 11.11. 12.26 11.25 11.11. 11.29 11.29 11.19 11.19 11.19 11.19 11.19 11.19 11.19 11.19	10
4 4 4 1 1 4 4 4 4 4	15

20. The method of Claim 19, wherein the wetting composition comprises:

about 86 to about 98 weight percent deionized water;

about 1 to about 6 weight percent sodium chloride as the activating compound;

up to about 2 weight percent of one or more preservatives; up to about 2 weight percent of one or more surfactants; up to about 1 weight percent of one or more silicone emulsions; up to about 1 weight percent of one or more emollients; up to about 0.3 weight percent of one or more fragrances; up to about 0.5 weight percent of one or more fragrance solubilizers; and

up to about 0.5 weight percent of one or more pH adjusters.

21. The method of Claim 20, wherein the westing composition comprises:

about 86 to about 98 weight percent of deionized water;

about 1 to about 6 weight percent of sodium chloride as the activating compound;

from greater than 0 to about 2 weight percent of one or more preservatives comprising glycerin, iodopropynyl butylcarbamate (IPBC), and dimethyloldimethyl (DMDM) hydantoin;

from greater than 0 to about 2 weight percent of a surfactant comprising acyl glutamate;

from greater than 0 to about 1 weight percent of one or more silicone emulsions comprising dimethiconol and triethanolamine (TEA) dodecylbenezene sulfonate;

20

25

	from greater than 0 to about 1 weight percent of	f an emollient
comprising PE	GG-75 Lanolin;	
	from greater than 0 to about 0.3 weight percent o	f one or more
fragrances;		

from greater than 0 to about 0.5 weight percent of a fragrance solubilizer comprising polysorbate 20; and

from greater than 0 to about 0.2 weight percent of a pH adjuster comprising malic acid.

22. The method of Claim 21, wherein the wetting composition comprises:

about 92.88 weight percent of deignized water;

about 4.00 weight percent of sodium chloride as the activating compound;

about 1.00 weight percent of one or more preservatives comprising glycerin, IPBC, and DMDM hydantoin;

about 1.00 weight percent of a surfactant comprising acyl glutamate;

about 0.50 weight percent of one or more silicone emulsions comprising dimethiconol and TEA dodecylbenezene sulfonate;

about 0/25 weight percent of an emollient comprising PEG-75 Lanolin;

about 0.05 weight percent of one or more fragrances;

about 0.25 weight percent of a fragrance solubilizer comprising polysorbate 20; and

about 0.07 weight percent of a pH adjuster comprising malic

25

acid.